

4=Extreme
 3=High
 2=Modorate
 1=Slight
 0=Insignificant

1	Health
1	Fire
0	Reactivity
--	Special

Material Safety Data Sheet

<i>PRODUCT NAME</i>	KLEER VU	<i>CHEMICAL NAME</i>	N/A
<i>FORMULA</i>	PROPRIETARY	<i>CHEMICAL FAMILY</i>	Surfactant
<i>DOT SHIP. CLASSIFICATION</i>	NOT RESTRICTED	<i>MOLECULAR WEIGHT</i>	N/A
<i>EMERGENCY TELEPHONE NO.</i>	801-355-6718		
<i>INFORMATION TELEPHONE</i>	801-355-6718		
<i>DATE PREPARED: Jan 3, 2009</i>	<i>PREPARED BY: Bryant Wright</i>		

PHYSICAL DATA

<i>BOILING POINT</i>	ABOUT 212° F.	<i>FREEZING POINT</i>	LESS THEN 32° F.
<i>SPECIFIC GRAVITY</i>	1.012 @ 25° c.	<i>pH AS IS SOLUTION</i>	6.5-7.5
<i>PERCENT VOLATILE</i>	Less than 1%	<i>SOLUBILITY IN WATER</i>	COMPLETE
<i>APPEARANCE & ODOR</i>	CLEAR BLUE-GREEN LIQUID WITH PLEASANT ODOR.		

HAZARDOUS INGREDIENTS: Manufactured NOT to contain a hazardous ingredient per OSHA Reg 29 CFR 1910 and DOT Reg 49 CFR 172.

Health Hazard Data

<i>Eye Contact</i>	<i>Skin Contact</i>	<i>Skin Absorption</i>	<i>Inhalation/Ingestion</i>
Could cause slight irritation should liquid contact eye directy.	Very slight irritant.	No data published.	May be harmful if inhaled/swallowed.

CARCINOGENICITY: NOT FORMULATED TO CONTAIN A KNOWN CARCINOGEN

<i>EMERGENCY PROCEDURE AND FIRST AID</i>	<p>EYES: Flush with plenty of clean running water. Call a physician.</p> <p>INTERNAL: If swallowed, do not induce vomiting. Drink a large Quantity of water. See a physician.</p> <p>EXTERNAL: If irritation does occur from contact, flush with water.</p>
--	--

<i>CHRONIC EXPOSURE EFFECTS</i>	NONE
---------------------------------	-------------

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT, TEST METHOD	+200° F. TAG CLOSED CUP	AUTOIGNITION TEMPERATURE	N/A
FLAMMABLE LIMITS IN AIR, % BY VOLUME	LOWER	N/A	UPPER
EXTINGUISHING MEDIA	WATER, FOAM, CARBON DIOXIDE, DRY CHEMICALS.		
UNUSUAL FIRE AND EXPLOSION HAZARDS	IN LARGE QUANTITIES, HEAT FROM FIRE MAY CAUSE HAZARDOUS DECOMPOSITION PRODUCTS.		
SPECIAL FIRE FIGHTING PROCEDURES	WHEN FIGHTING FIRE, WEAR FULL PROTECTIVE EQUIPMENT AND BREATHING APPARATUS.		

REACTIVITY DATA

<i>STABILITY</i>				<i>CONDITIONS TO AVOID</i>		<i>INCOMPATIBILITY, MATERIALS TO AVOID</i>	
<i>UNSTABLE</i>		<i>STABLE</i>	X	NONE		CAUSTIC, STRONG ALKALI, STRONG OXIDIZERS	
<i>HAZARDOUS DECOMPOSITION BY-PRODUCTS</i>				WHEN HEATED TO DECOMPOSITION BY FIRE, PRODUCT EMITS TOXIC OXIDES OF CARBON, NITROGEN, AND SULFUR.			
<i>HAZARDOUS POLYMERIZATION</i>				<i>CONDITIONS TO AVOID</i>		NONE	
<i>MAY OCCUR</i>		<i>WILL NOT OCCUR</i>	X				

PRECAUTIONS / SAFE HANDLING AND USE

<i>RESPIRATORY PROTECTION</i>	NOT REQUIRED			
<i>VENTILATION</i>	<i>LOCAL EXHAUST</i>	NOT REQUIRED	<i>SPECIAL</i>	NONE
	<i>MECHANICAL</i>	OKAY	<i>OTHER</i>	N/A
<i>PROTECTIVE GLOVES</i>	NOT REQUIRED		<i>OTHER PROTECTIVE CLOTHING</i>	NONE
<i>EYE PROTECTION</i>	NONE UNLESS HANDLING BULK QUANTITIES.		<i>WORK/HYGIENIC PRACTICES</i>	N/A
<i>HANDLING AND STORAGE</i>	STORE AT ROOM TEMPERATURE 30 F. TO 120 F. AWAY FROM OPEN FLAME.			
<i>SPILL OR LEAK PROCEDURES</i>	SMALL SPILLS, FLUSH WITH WATER. LARGE SPILLS, ADD DRY MATERIAL TO CONTAIN, PICK UP AND CONTAINERIZE, THEN FLUSH WITH WATER.			
<i>WASTE DISPOSABLE</i>	CONSULT WITH STATE AND LOCAL AUTHORITIES FOR PROPER DISPOSAL METHOD.			
<i>OTHER PRECAUTIONS</i>	DO NOT REUSE CONTAINER.			